
	◬	11/18/13	XXX	REV_DESC	WΗ	WHR	JML
1	REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW

4"x8"x16" Concrete Slope Block



NOTES:

• WEIGHT:

-34 lbs/ea.

COMPRESSIVE STRENGTH, MIN P.S.I. (AVG. GROSS AREA)

-AVG. OF 3 UNITS: 4500 -INDIVIDUAL UNITS: 4500

• WATER ABSORPTION MAX (LB/FT³)

-AVG OF 3 UNITS: 10%

- DRY CAST BLOCK WITH ¾" AGGREGATE
- NO DIMENSION SHALL VARY MORE THAN 3 PERCENT OVER OR UNDER THE SPECIFIED DIMENSION FOR ANY FORM OF UNIT
- ASTM C-139-05 EXCEPT THAT THE UNITS SHALL CONFORM TO THE DETAILS SHOWN HEREON AND THAT THEIR THICKNESS SHALL NOT BE LESS THAN 5"



PROJECT

TITLE

4x8x16 SLOPE BLOCK

DESIGN	BGR	12/20/13	FILE No.						
CADD	ЫH	12/20/13	SCALE 3"=1'-0"						
REVIEW	MF	03/17/16	REV. 1	MF					
PROJECT	No.								

DRAWING: CMU 4x8x16 SLOPE