



	05/06/16	XXX		REV_DESC		MF	WHR	JML	
REV	DATE	DES		REVISION DESCRIPTION		CADD	CHK	RVW	

# 2"x8"x16" BALLAST BLOCK



**NOTES:**

- **WEIGHT:**  
-17 lbs/ea.
- **COMPRESSIVE STRENGTH, MIN P.S.I. (AVG. GROSS AREA)**  
-AVG. OF 3 UNITS: 2500  
-INDIVIDUAL UNITS: 2500
- **WATER ABSORPTION MAX (LB/FT<sup>3</sup>)**  
-AVG OF 3 UNITS: 10%
- NO DIMENSION SHALL VARY MORE THAN 3 PERCENT OVER OR UNDER THE SPECIFIED DIMENSION FOR ANY FORM OF UNIT
- ASTM C-139-05 EXCEPT THAT THE UNITS SHALL CONFORM TO THE DETAILS SHOWN HEREON AND THAT THEIR THICKNESS SHALL NOT BE LESS THAN 5"

			
PROJECT			
TITLE			
<b>2x8x16 BALLAST BLOCK</b>			
DESIGN	BGR	05/06/16	FILE No.
CADD	MF	05/06/16	SCALE 3"=1'-0"
REVIEW	MW	05/06/16	REV. 0
PROJECT No.			
<b>DWG: 2x8x16 BALLAST BLOCK</b>			