


11/18/13	XXX	REV_DESC	LJH	WHR	JML
REV	DATE	DES	CADD	CHK	REV
REVISION DESCRIPTION					


# Radial Manhole Block



**NOTES:**

- WEIGHT:**  
-38 lbs/ea.
- STANDARD SPECIFICATION FOR CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES:**  
Precast concrete units shall conform to the requirements of the A.S.T.M specification C-139 except that the units shall conform to the details shown hereon and that their thickness shall not be less than 6 inches for the 8" x 6" x 12" block.
- No overall dimension shall vary more than 3% over or under the specified dimension for any form of unit.

STRENGTH AND ABSORPTION REQUIREMENTS	
COMPRESSIVE STRENGTH, MIN. P.S.I. (AVERAGE GROSS AREA)	WATER ABSORPTION MAX
AVG. OF 3 UNITS: 2500	AVG. OF 3 UNITS: 10



**CROMWELL CONCRETE PRODUCTS INC.**  
10075 Main Street, Columbus, OH 43240  
 (614) 890-6333 Fax: (614) 890-6335 Email: info@ccpi.com

PROJECT: \_\_\_\_\_

TITLE: **Radial Manhole Block**

DESIGN	BGR	01/24/14	FILE No.
CADD	LJH	01/24/14	SCALE 3"=1'-0"
REVIEW			REV. 0
PROJECT No. _____			

**DRAWING: MH BLOCK**