

Fire Resistance Rating Certificate of Compliance *Cromwell Concrete Products Inc*

certifies that concrete masonry constructed in accordance with the code, standard or procedure cited, using units from the shipment listed, has the fire resistance stated. Units in the shipment are representative of the unit evaluated by the National Concrete Masonry Association for fire resistance in accordance with the cited code, standard or procedure, as provided on the NCMA Product Certification Certificate.

Fire Resistance Rating 1.3 Hour(s)

determined in accordance with

ACI 216.1/TMS 0216, Standard Method for Determining the Fire Resistance of Concrete and Masonry Assemblies, 2007

Certificate Number: 10-309-1

Manufacturer: Cromwell Concrete Products Inc

Plant: Cromwell, CT

Unit Description: 6 x 8 x 16 Inch Concrete Masonry Unit

Mark "Light Weight, A"

Shipment: _____



**NATIONAL
CONCRETE MASONRY
ASSOCIATION**

Sustainable Concrete Products for Structures and Hardscapes

13750 Sunrise Valley Drive
Herndon, Virginia 20171-4662
phone 703.713.1900 ☎ fax 703.713.1910 ☎ website www.ncma.org

CERTIFICATION AUTHORIZATION

Signature: _____

Mfg. Representative: _____

Title: _____

Date: _____